<u>दिल्ली विकास प्राधिकरण</u> <u>यमुना खेल परिसर</u>

संविदा आमंत्रण सूचनान. 11/य.खे.प./दि.वि.प्रा./2019-20

सचिव, यमुना खेल परिसर, दिल्ली विकास प्राधिकरण, निम्नलिखित कार्य के लिए अनुभवी एजेंसियों से ऑन लाइन निविदाए आमंत्रित की जाती है ।ऑनलाइन निविदाए <u>28.09.2019</u> को **दोपहर <u>3:00</u> बजे तक भेजी जा सकती है**।जो <u>30.09.2019</u> सुबह 11:00 बजे खोली जाएँगी। निविदा के नियम एवं शर्तों तथा मदो का विवरण अगले प्रष्ट पर दिया है जो <u>https://eprocure.gov.in/eprocure/app</u> की वेबसाइट से भी प्राप्त की जा सकती है

| स. | विवरण | अनुमानितमूल्य | धरोहरराशि |
|----|----------------------------------------------------------|---------------|--------------|
| | कार्य का नाम:यमुना खेल परिसर का रखरखाव | | |
| 1 | उपनाम: टीटी स्टेडियम, यमुना स्पोर्ट्स कॉम्प्लेक्स, डीडीए | Rs. 232511/- | Rs.10,000 /- |
| | में योग और जिम के कमरे में गिरने की छत की मरम्मत | | |

-sd-आर इ(सिविल), यमुना खेल परिसर , दि.वि.प्रा.

सं.फ. F17(274)य.खे.प./दि.वि.प्रा./640

दि. 21.09.2019

<u> प्रति:</u>

- 1. आयुक्त (खेल), DDA कृपया अधिक जानकारी के लिए
- 2. सचिव, डीडीए कॉन्ट्रैक्टर वेलफेयर एसोसिएशन, विकास कुल्टर, नई दिल्ली।
- 3. सचिव, डीडीए बिल्डर्स, ई -18, विकास कुटर, नई दिल्ली
- 4. महासचिव, दिल्ली कांट्रेक्टर वेलफेयर एसोसिएशन (रजि।), 306, मस्जिद मोठ, एन.डी.एस. ई।, भाग II, नई दिल्ली -
- 1100491
- 5. डीडीए स्पोर्ट्स कॉम्प्लेक्स के सभी सचिव
- 6. सचिव / वाईएससी, डीडीए
- 7. एएओ / वाईएससी, डीडीए
- 8. चिंतित ए.ई. (सिविल / इलेक्टा) / एडी (होर्ट) / प्रबंधक, वाईएससी, डीडीए
- 9. नोटिस बोर्ड

10. डीडीए वेबसाइट - ई-मेल के माध्यम से ddatender@dda.org.in पर अनुसूची के साथ।

-sd-आर इ(सिविल), यमुना खेल परिसर , दि.वि.प्रा.

DELHI DEVELOPMENT AUTHORITY YAMUNA SPORTS COMPLEX Suraj Mal, Delhi – 110092 Email:yscdda@yahoo.com

NIQ NO. 11/YSC/DDA/2019-20

Online quotations are invited from Experienced Dealers / Firms / Suppliers / Agencies on behalf of Delhi Development Authority, (Sports Wing) for the following works at Yamuna Sports Complex. The quotation shall be uploaded in two parts, namely, 'Part -I' containing Technical Bid and 'Part - II' comprising 'Financial Bid'. Only authorized dealers/ agencies/Contractors registered with DDA, CPWD and those of appropriate list of MES, BSNL & Railways who have successfully completed three or more similar nature of works each costing not less than 40% of the estimated cost put to tender, or two completed works costing each not less than 60% of the estimated cost put to tender, or one completed work costing not less than 80% of estimated cost put to tender during the last five years in Government Department or Public Sector undertaking with annual turnover more than 30% of the estimated cost in each year during the immediate last three consecutive financial years ending March 2018 duly certified by Chartered Accountant are entitled to apply. A proof thereof should be uploaded with the Technical Bid. The tenderer should be registered with the GST Department and furnish a copy of registration with the tender. Earnest money shall be deposited through RTGS/NEFT in the account of "CAU SPORTS DDA" having A/c No. 0167104000254427 with "IDBI Bank, Friends Colony, Delhi State-110065 (IFSC. IBKL0000167).

Name of Work: M/o Yamuna Sports Complex, DDA SH: Repairing of fall ceiling in Yoga and Gym room at T.T. Stadium YSC, DDA Estimated Cost: <u>Rs. 2,32,511.00</u> Earnest Money: <u>Rs. 10,000.00</u> Period : 30 Days

Schedule of Quantity

| S.No. | Description of Items | Qty. | Unit | Rate | Amount |
|-------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------|------|------|--------|
| 1 | Providing and fixing tiled false ceiling of specified materials of size 595x595 mm in true horizontal level, suspended on inter locking metal grid of hot dipped galvanized steel sections (galvanized @ 120 grams/ sqm, both side inclusive) consisting of main "T" runner with suitably spaced joints to get required length and of size 24x38 mm made from 0.30 mm thick (minimum) sheet, spaced at 1200 mm center to center and cross "T" of size 24x25 mm made of 0.30 mm thick (minimum) sheet, 1200 mm long spaced between main "T" at 600 mm center to center to form a grid of 1200x600 mm and secondary cross "T" of length 600 mm and size 24x25 mm made of 0.30 mm thick (minimum) sheet to be interlocked at middle of the 1200x600 mm panel to form grids of 600x600 mm and wall angle of size 24x24x0.3 mm and laying false ceiling tiles of approved texture in the grid including, required cutting/making, opening for services like diffusers, grills, light fittings, fixtures, smoke detectors etc. Main "T" runners to be suspended from ceiling using GI slotted cleats of size 27 x 37 x 25 x1.6 mm fixed to ceiling with 12.5 mm dia and 50 mm long dash fasteners, 4 mm GI adjustable rods with galvanized butterfly level clips of size 85 x 30 x 0.8 mm spaced at 1200 mm center to center along main T, bottom exposed width of 24 mm of all T-sections shall be pre-painted with polyester paint, all complete for all heights as per specifications, drawings and as directed by Engineer-in-charge. | 168.60 | sqm | | |

| 2 | Providing and fixing false ceiling at all height including providing and fixing of frame work made of special sections, power pressed from M.S. sheets and galvanized with zinc coating of 120 gms/sqm (both side inclusive) as per IS : 277 and consisting of angle cleats of size 25 mm wide x 1.6 mm thick with flanges of 27 mm and 37mm, at 1200 mm center to center, one flange fixed to the ceiling with dash fastener 12.5 mm dia x 50mm long with 6mm dia bolts, other flange of cleat fixed to the angle hangers of 25x10x0.50 mm of required length with nuts & bolts of required size and other end of angle hanger fixed with intermediate G.I. channels 45x15x0.9 mm running at the spacing of 1200 mm center to center, to which the ceiling section 0.5 mm thick bottom wedge of 80 mm with tapered flanges of 26 mm each having lips of 10.5 mm, at 450 mm center to center, shall be fixed in a direction perpendicular to G.I. intermediate channel with connecting clips made out of 2.64 mm dia x 230 mm long G.I. wire at every junction, including fixing perimeter channels 0.5 mm thick 27 mm high having flanges of 20 mm and 30 mm long, the perimeter of ceiling fixed to wall/partition with the help of rawl plugs at 450 mm center, with 25mm long drywall screws @ 230 mm interval, including fixing of gypsum board to ceiling section and perimeter channel with the help of drywall screws of size 3.5 x 25 mm at 230 mm c/c, including jointing and finishing to a flush finish of tapered and square edges of the board with recommended jointing compound , jointing tapes , finishing with jointing compound in 3 layers covering upto 150 mm on both sides of joint and two coats of primer suitable for board, all as per manufacturer's specification and also including the cost of making openings for light fittings, grills, diffusers, cutouts made with frame of perimeter channels suitably fixed, all complete as per drawings, specification and direction of the Engineer in Charge but excluding the cost of painting with : 12.5 mm thick tapered edge gypsum plain boar | 60.00 | sqm | |
|---|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------|-----|--|
| 3 | Wall painting with acrylic emulsion paint of approved brand and manufacture to give an even shade : Two or more coats on new work | 60.00 | sqm | |
| 4 | Wall painting with plastic emulsion paint of approved brand and manufacture to give an even shade: One or more coats on old work | 150.00 | sqm | |
| 5 | Painting with synthetic enamel paint of approved brand and manufacture of required colour to give an even shade : One or more coats on old work | 25.00 | sqm | |

The documents can be downloaded from the e-tendering portal i.e. website https://eprocure.gov.in/eprocure/app or www.dda.org.in and the bids can be uploaded upto 03:00 PM on28.09.2019...(last date of submission). The Technical Bid will be opened on**30.09.2019...** at 11:00 AM. The unique transaction reference of RTGS/NEFT shall have to be uploaded by the quotationer in the E-Tendering system by the prescribed date.

The quotationers are required to upload the following documents on e-tendering portal <u>https://eprocure.gov.in/eprocure/app</u>

TECHNICAL BID (FIRST COVER)

- 1. Scanned copy of reference of RTGS/NEFT (EMD).
- 2. Scanned copy of PAN No.
- 3. Scanned copy GST Registration.
- 4. Scanned copy of Experience Certificate of similar nature work in any govt. organization/PSU.
- 5. Scanned copy of Proof of e-tendering fee deposited with CRB of DDA.
- 6. Scanned copy of Turnover Certificate duly certified by Chartered Accountant.

FINANCIAL BID (SECOND COVER)

1) Schedule of price bid in the form of BoQ_XXXXX.xls

Any tender found lacking with respect to the necessary information and /or documents and/or Earnest Money with the Technical bid will not be considered.

Bidder / tenderer registered in Contractor's Registration Board (CRB) of DDA are required to pay the e-tendering annual charges as under:

| S.N | Class of | Amount to be paid p.a. |
|-----|------------|------------------------|
| 0 | Contractor | |
| 1 | Class-I | Rs. 20,000 + GST@18% |
| 2 | Class-II | Rs. 16,000 + GST@18% |
| 3 | Class-III | Rs. 14,000 + GST@18% |
| 4 | Class-IV | Rs. 10,000 + GST@18% |
| 5 | Class-V | Rs. 6,000 + GST@18% |

The bidder/tenderer who are not registered in DDA and wish to bid in DDA tender are required to pay annual charge of E-tendering of Rs. 20,000/-

Note(1):- The bidder will use one UTR for one work only. In case, it is found that he has used one UTR number for different tenders, all the tenders submitted by him will be rejected and he will be debarred from further tendering in DDA in future.


Note(2):- The intending tenderer should ensure before tendering in DDA that the requisite fee has been already deposited with CRB.

Note (3):-<u>No Hard copy</u> of any document will be required to be submitted by the tenderers till the opening of the tenders. Hard Copies of relevant documents will be required from the lowest tenderer only.

Note (4):- For terms and conditions, eligibility criteria of specialized work, the manner in which Earnest Money is to be deposited through RTGS mode and other information/instructions, please visit DDA's website <u>https://eprocure.gov.in/eprocure/app or www.dda.org.in</u>. For any assistance on e-tendering please contact concerned EE or M/s N.I.C. on phone: 0120-4001062: 0120-4001002, 0120-4001005, 0120-6277787 or M/s N.I.C. on email support-eproc@nic.in

TERMS & CONDITIONS:

- 1. Quoted rates should be inclusive of all taxes/levies, if any. DDA would not entertain any claim, whatsoever, in this respect.
- 2. No extra charges shall be paid for transportation/taxes.
- 3. The work will be executed as per direction of Secretary/YSC.
- 4. THAT the decision of this office respecting the quality of the work executed shall be final and binding on the supplier/ agency and shall not be called in question before any Forum.
- 5. Necessary statutory deductions will be made as applicable.
- 6. Pre-receipt bill in duplicate may also be sent for making the payment.
- 7. The tenderer / quotationer should be registered with the GST Department and suppose to furnish a copy of GST registration.
- 8. Debarred agency/or individual shall not be permitted to participate in the tendering process.
- 9. Any individual who has been debarred is not permitted to take part in any negotiations or represent an agency even if the holds a power of attorney on the agencies behalf. Any agency engaging debarred persons is also liable to debarring.
- 10. Conditional quotations will not be accepted.
- 11. Based on real-time feedback of members and administrative staff of DDA, as and when a deficiency of service is noticed, the same will be intimated to the agency/contractor for rectification. In case there is no improvement/rectification within 24 hours of intimation, proportionate deduction, as approved by the Competent Authority, shall be made from the agency/contractor.
- 12. In case of withdrawal of offer, EMD will be forfeited.



Copy to:-

- 1. Commissioner (Sports), DDA for kind information please
- 2. The Secretary, DDA Contractor Welfare Association, Vikas Kuteer, New Delhi.
- 3. The Secretary, DDA Builders, E-18, Vikas Kuteer, New Delhi
- 4. The General Secretary, Delhi Contractor's Welfare Association (Regd.), 306, Masjid Moth, N.D.S.E., Part II, New Delhi 110049.
- 5. All Secretaries of DDA Sports Complexes
- 6. Secretary/YSC, DDA
- 7. AAO/YSC, DDA
- 8. Concerned A.E.(Civil/Elect.)/ S.O.(Hort.)/Manager, YSC, DDA
- 9. Notice Board
- 10. DDA Website through e-mail to <u>ddatender@dda.org.in</u> with schedule.

-sd-RE(C)/YSC, DDA